

Appl. No. 10/628,531  
November 17, 2006  
Reply to Office Action of August 17, 2006

PATENT

RECEIVED  
CENTRAL FAX CENTER

NOV 17 2006

**I. AMENDMENTS TO THE CLAIMS**

*This listing of claims will replace all prior versions, and listings, of claims in the application, using strikethrough for deletions and underlining for additions:*

1. (canceled)
2. (currently amended) A power cleaning and sanding machine comprising:  
a frame; and  
a plurality of floor finishing units mounted to said frame and positioned one behind the other in a tandem arrangement in at least one longitudinally extending column, wherein at least one of said plurality of floor finishing units includes an abrasive grit size different from another abrasive grit size of at least one other of said plurality of floor finishing units.
3. (previously presented) The power cleaning and sanding machine of claim 2, wherein said plurality of floor finishing units comprises sub-groups of floor finishing units, wherein at least one of said sub-groups of floor finishing units includes an abrasive grit different from at least one other of said sub-groups of floor finishing units.
4. (original) The power cleaning and sanding machine of claim 3, wherein said plurality of floor finishing units comprise three sub-groups of floor finishing units having three individual floor finishing units each, wherein said sub-groups of floor finishing units are nested in a delta pattern, and further wherein said three individual floor finishing units of

Appl. No. 10/628,531  
November 17, 2006  
Reply to Office Action of August 17, 2006

**PATENT**

each of said three sub-groups of floor finishing units diametrically overlap in the direction of travel of said power cleaning and sanding machine.

5. (previously presented) The power cleaning and sanding machine of claim 2, wherein said plurality of floor finishing units are pivotably mounted to said frame.

6. (previously presented) The power cleaning and sanding machine of claim 2, wherein said plurality of floor finishing units are adjustable in height with respect to said frame.

7. (currently amended) The power cleaning and sanding machine of claim 2, said frame comprising:

at least one strut;

at least one upright attached to said at least one strut;

at least one cross-member attached to said at least one strut; and

at least one link attached to said at least one strut ~~one cross-member~~.

8. (currently amended) The power cleaning and sanding machine of claim 7, wherein said at least one link is pivotably mounted to said at least one strut ~~one cross-member~~ and at least one of said plurality of floor finishing units is attached to said at least one link such that said at least one of said plurality of floor finishing units is pivotable with respect to said frame.

Appl. No. 10/628,531

November 17, 2006

Reply to Office Action of August 17, 2006

**PATENT**

9. (currently amended) The power cleaning and sanding machine of claim 8, further comprising:

said at least one link includes a slot therethrough, said at least one link being mounted to said at least one strut ~~cross-member~~ through said slot to enable said link to be adjustable in height with respect to said frame, such that said at least one of said plurality of floor finishing units is adjustable in height with respect to said frame;

a utilities sub-frame attached to said frame, said utilities sub-frame having at least one electrical service box attached thereto; and

at least one wheeled jack attached to said at least one upright of said frame.

10. (currently amended) A power cleaning and sanding machine comprising:

a frame; and

a plurality of floor finishing units positioned in one behind the other in a tandem arrangement in at least one longitudinally extending column on said frame, wherein at least one of said plurality of floor finishing units includes an abrasive grit size different from another abrasive grit size of at least one other of said plurality of floor finishing units.

11. (currently amended) The power cleaning and sanding machine of claim 10, wherein said plurality of floor finishing units comprises sub-groups of floor finishing units, wherein at least one of said sub-groups of floor finishing units includes an abrasive grit size different from another abrasive grit size of at least one other of said sub-groups of floor finishing units, said sub-groups of floor finishing units are nested in a delta pattern, and said floor finishing units of said sub-groups of floor finishing units diametrically overlap in the direction of travel of said power cleaning and sanding machine.

Appl. No. 10/628,531  
November 17, 2006  
Reply to Office Action of August 17, 2006

**PATENT**

12. (canceled)
13. (currently amended) A frame for use in combination with a floor finishing unit, said frame comprising:
- at least one strut;
  - at least one upright attached to said at least one strut;
  - at least one cross-member attached to said at least one strut;
  - at least one beam attached to said at least one strut; and
  - at least one link attached to said at least one beam, wherein said at least one link is upwardly and downwardly displaceably ~~pivotably~~ mounted to said at least one beam.
14. (currently amended) The frame of claim 13, wherein said at least one link includes a slot therethrough, said at least one link being mounted to said at least one strut ~~cross-member~~ through said slot to enable said link to be adjustable in height with respect to said frame.
15. (previously presented) The frame of claim 13, further comprising:
- a utilities sub-frame attached to said frame, said utilities sub-frame having at least one electrical service box attached thereto.
16. (previously presented) The frame of claim 13, further comprising:
- at least one wheeled jack attached to said at least one upright of said frame.

Appl. No. 10/628,531

November 17, 2006

Reply to Office Action of August 17, 2006

**PATENT**

17. (withdrawn) A power cleaning and sanding machine comprising:
- a chassis;
  - a housing mounted to said chassis, said housing having a mounting surface and a fastening surface substantially opposite said mounting surface, said housing at least partially defining a chamber;
  - a plurality of independently operated floor finishing units mounted to said mounting surface of said housing.
18. (withdrawn) The power cleaning and sanding machine of claim 17, wherein at least one of said plurality of independently operated floor finishing units is flexibly mounted to said housing.
19. (withdrawn) The power cleaning and sanding machine of claim 18, further comprising:
- a plurality of fasteners extending through said housing and into said at least one of said plurality of independently operated floor finishing units; and
  - a plurality of springs interposed said plurality of fasteners and said fastening surface of said housing, whereby said at least one of said plurality of independently operated floor finishing units is flexibly mounted to said housing.
20. (withdrawn) The power cleaning and sanding machine of claim 17, wherein at least one of said plurality of independently operated floor finishing units includes an abrasive grit, different from at least one other of said plurality of independently operated floor finishing units.

Appl. No. 10/628,531

November 17, 2006

Reply to Office Action of August 17, 2006

**PATENT**

21. (withdrawn) The power cleaning and sanding machine of claim 17, wherein said housing is pivotably mounted to said chassis.

portion of said plurality of independently operated floor finishing units diametrically overlap in the direction of travel of said power cleaning and sanding machine.

24. (withdrawn) The power cleaning and sanding machine of claim 17, wherein at least a portion of said plurality of independently operated floor finishing units are arranged in a delta pattern.

25. (withdrawn) A power cleaning and sanding machine comprising:

a chassis;

a housing mounted to said chassis, said housing having an axis of rotation and being rotatable about said axis of rotation, said housing further having a mounting surface and a fastening surface substantially opposite said mounting surface, said housing at least partially defining a chamber;

Appl. No. 10/628,531

November 17, 2006

Reply to Office Action of August 17, 2006

**PATENT**

a plurality of independently operated floor finishing units mounted to said mounting surface of said housing.

26. (withdrawn) The power cleaning and sanding machine of claim 25, wherein at least one of said plurality of independently operated floor finishing units is flexibly mounted to said housing.

27. (withdrawn) The power cleaning and sanding machine of claim 26, further comprising:

a plurality of fasteners extending through said housing and into said at least one of said plurality of independently operated floor finishing units; and

a plurality of springs interposed said plurality of fasteners and said fastening surface of said housing, whereby said at least one of said plurality of independently operated floor finishing units is flexibly mounted to said housing.

28. (withdrawn) The power cleaning and sanding machine of claim 25, wherein at least one of said plurality of independently operated floor finishing units includes an abrasive grit, different from at least one other of said plurality of independently operated floor finishing units.

29. (withdrawn) The power cleaning and sanding machine of claim 25, wherein said plurality of independently operated floor finishing units rotate in a direction opposite that of said housing.



Appl. No. 10/628,531  
November 17, 2006  
Reply to Office Action of August 17, 2006

**PATENT**

30. (withdrawn) The power cleaning and sanding machine of claim 25, wherein said housing further includes:

- a skirt mounted therearound to further define said chamber; and
- a plurality of vacuum ports in communication with said chamber.

31. (withdrawn) The power cleaning and sanding machine of claim 25, wherein said chassis comprises:

- a fixed portion;
- a rotatable portion rotatably mounted to said fixed portion.

32. (withdrawn) The power cleaning and sanding machine of claim 31, further comprising means for rotating said housing about said axis of rotation.

33. (withdrawn) The power cleaning and sanding machine of claim 31, further comprising a motor and gear assembly mounted to said fixed portion of said chassis and rotatably engaged to said rotatable portion of said chassis.

34. (withdrawn) The power cleaning and sanding machine of claim 31, further comprising:

- a power supply; and
- means for electrically rotatably coupling said plurality of independently operated floor finishing units with said power supply, said means for electrically rotatably coupling being interposed said fixed and rotatable portions of said chassis.

Appl. No. 10/628,531  
November 17, 2006  
Reply to Office Action of August 17, 2006

**PATENT**

35. (withdrawn) The power cleaning and sanding machine of claim 31, further comprising:

a power supply; and

a slip ring interposed said fixed and rotatable portions of said chassis, said slip ring being in communication with said power supply and said plurality of independently operated floor finishing units.

36. (cancelled)

37. (currently amended) A power cleaning and sanding machine comprising:

a frame;

a plurality of floor finishing units mounted to said frame and positioned one behind the other in a tandem arrangement in at least one longitudinally extending column, wherein at least one of said plurality of floor finishing units includes one abrasive grit size different from another abrasive grit size of at least one other of said plurality of floor finishing units; and

at least one electrical service box mounted to said frame, said electrical service box being connected to a power supply cord adapted to be plugged into a power supply outlet, said plurality of floor finishing units being wired directly to and independently controlled by said at least one electrical service box.

38. (currently amended) A power cleaning and sanding machine comprising:

a frame;

a plurality of links ~~pivotably~~ mounted to said frame; and

Appl. No. 10/628,531  
November 17, 2006  
Reply to Office Action of August 17, 2006

**PATENT**

a plurality of floor finishing units pivotably mounted to said plurality of links frame,  
~~wherein said plurality of floor finishing units include a plurality of bosses thereon, said~~  
~~plurality of links being pivotably mounted to said plurality of bosses to pivotably mount~~  
said plurality of floor finishing units to said frame, and positioned one behind the other in  
a tandem arrangement in at least one longitudinally extending column, wherein at least  
one of said plurality of floor finishing units includes one abrasive grit size different from  
another abrasive grit size of at least one other of said plurality of floor finishing units.

39. (previously presented) A power cleaning and sanding machine for finishing a floor,  
said machine comprising:

a frame;

a plurality of floor finishing units mounted to said frame, wherein said plurality of  
floor finishing units comprise multiple sub-groups of floor finishing units are arranged in a  
nested delta pattern.

40. (cancelled)

41. (currently amended) A power cleaning and sanding machine for finishing a floor, said  
machine comprising:

a frame;

a plurality of links ~~pivotably~~ movably mounted to said frame;

a plurality of floor finishing units being pivotably mounted to said ~~frame via said~~  
plurality of links so as to expose the bottoms of said floor finishing units for servicing  
thereof; and

Appl. No. 10/628,531

November 17, 2006

Reply to Office Action of August 17, 2006

**PATENT**

a jack attached to said frame for adjusting the height of said frame with respect to the floor to be finished to adjust the height of said plurality of floor finishing units.